



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 06/03/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/619,527	07/15/2003	August Puspurs		7484	
7	590 06/03/2004		EXAMINER		
INVENTARIUM SUITE 1607			GELLNER, JEFFREY L		
4050 Rosemont Blvd.			ART UNIT	PAPER NUMBER	
Montreal, QC H1X 1M4			3643		
CANADA					

Please find below and/or attached an Office communication concerning this application or proceeding.

14 6					
		Application No.	Applicant(s)		
Office Action Summary		10/619,527	PUSPURS, AUGUST		
		Examiner	Art Unit		
		Jeffrey L. Gellner	3643		
Period fo	The MAILING DATE of this communication ap or Reply	pears on the cover sheet with th	e correspondence address		
THE - Exter after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. Properiod for reply specified above is less than thirty (30) days, a repulation of the period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be bly within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS fr e, cause the application to become ABANDO	e timely filed days will be considered timely. rom the mailing date of this communication. NED (35 U.S.C. § 133)		
Status					
1) 又	Responsive to communication(s) filed on <u>15 J</u>	lulv 2003			
	This action is FINAL . 2b)⊠ This action is non-final.				
′=	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Dispositi	ion of Claims				
5)□ 6)⊠ 7)□	Claim(s) <u>1-8</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) <u>1-8</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or				
Applicati	ion Papers				
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>15 July 2003</u> is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example 2015.	accepted or b) \boxtimes objected to drawing(s) be held in abeyance. Setion is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).		
Priority u	ınder 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachmen	• •	·			
	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summa Paper No(s)/Mail			
3) 🛛 Inforr	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date <u>15 July 2003</u> .	_	al Patent Application (PTO-152)		

Art Unit: 3643

DETAILED ACTION

Drawings

The drawings are objected to because the hole (22) in Fig. 1b is round but the stake is square. Examiner questions whether a square stake could be placed in a round hole. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Objections

Claim 1 is objected to because of the following informality:

In line 3 the text "generally but not necessarily fixedly attached" is unclear because it is not clear as to the scope of the language.

In line 6, the text "through said holes" is unclear in meaning because the drawings show only one hole in the top of the connector.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 3643

Claims 1-8 is rejected under 35 U.S.C. § 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In Claim 4, line 2, the limitation "a tip releasable means" lacks antecedent basis if it is the same releasably connecting means disclosed in Claim 2. Perhaps Claims 4 language should read --- wherein the releasably connecting means--.

In Claim 1, lines 2 and 5, it is not clear if the "a stake" disclosed in both lines is the same type of stake of a different type of stake.

In Claim 1, line 6, "the top" lacks antecedent basis.

In Claim 6, line 3, "said stakes" lacks antecedent basis in that in claim 1 the limitation is "a stake."

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. §102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 5, 7, and 8 are rejected under 35 U.S.C. §102(b) as being anticipated by Zanavich et al. (US 4,540,160).

As to Claim 1, Zanavich et al. discloses a modular plant support system (Figs. 1-8) for plants comprising a tip (24 of Fig. 4), a stake (32 of Fig. 2), and a connector section (generally 29 and 25 of Fig. 2) and holes (26 and 27 of Fig. 2); the connector section being generally

Art Unit: 3643

attached to the stake (see Fig. 2; col. 3 lines 54-57); the connector section being hollow (see Fig. 2) having holes (26 and 27 of Fig. 2) to allow a stake (either 22 of Fig. 1 or 32 of Fig. 2) to be inserted into the top of the connector an through the holes in order to construct a structure.

As to Claim 2, Zanavich et al. further disclose a separate tip (24 of Fig. 4) which is releasably connected to the stake by a releasably connecting means (41 of Fig. 4).

As to Claim 3, Zanavich et al. further disclose the holes paired (see Figs. 1 and 2).

As to Claim 5, Zanavich et al. further disclose the stakes having different lengths (22 and 32 of Figs. 1 and 2, respectively)

As to Claim 7, Zanavich et al. further disclose the connector being round in shape (Fig. 9).

As to Claim 8, Zanavich et al. further disclose the connector being square in shape (Fig. 2).

Claim Rejections - 35 USC §103

The following is a quotation of 35 U.S.C. §103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 4 and 6 are rejected under 35 U.S.C. §103(a) as being unpatentable over Zanavich et al. (US 4,540,160).

As to Claim 4, the limitations of Claim 2 are disclosed as described above. Not disclosed is the tip releasable means consisting of two generally arrow shaped clips which engage suitably

Art Unit: 3643

configured and sized notches hollowed out in the stake. However, because arrow shaped clips and screw type nut and bolt (of Zanavich et al.) were art-recognized equivalents at the time of the invention in those plant supports where it is immaterial as to the exact type of attaching means, it would have been obvious to one of ordinary skill in the art at the time of the invention to substitute arrow shaped clips for the screw type nut and bolt in Zanavich et al.

As to claim 6, the limitations of Claim 1 are disclosed as described above. Zanavich et al. further disclose stakes in the holes of the connector section. Not disclosed is a stake in the top of the connector section. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the plant support of Zanavich et al. inserting a stake in the top of the connector section so as to double the size of the fence shown in Fig. 1 so as to increase the usefulness of the device.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Ballai and Cooper disclose in the prior art various supports with detachable tips. Puspurs ('925 A1) discloses the instant application's pre-grant publication.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Jeffrey L. Gellner whose phone number is 703.305.0053. The Examiner can normally be reached Monday through Thursday from 8:30 am to 4:00 pm. The Examiner can also be reached on alternate Fridays.

Art Unit: 3643

Page 6

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Peter Poon, can be reached at 703.308.2574. The official fax telephone number for the Technology Center where this application or proceeding is assigned is 703.872.9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703.308.1113.

Jeffrey L. Gellner